



# LEGENDEX ROGUE MOLLE

PRODUCT CODE: MR-SET79-R-1

**79 Series Single Cab  
Molle Roof Console (Up to 2020)**

PRODUCT CODE: MR-SET79-R-1



**LEGENDEX.COM.AU (07) 3203 2333**

## CHECK YOUR PACK LIST

Once you have unpacked the system from the box make sure you have all parts that are listed on the packing list below.

### COMPONENTS

79 Series Single Cab Molle Roof Console  
(Up to 2020)

5 x M6 x 12 Dome head stainless steel bolt

---

5 x M6 Washer

---

5 x M6 Hex flare nut

---

2 x M4 30mm Bolt


---

3 x M4 x 19 washer

---

3 x Nylon Spacer

---



### IMPORTANT

---

- Wear protective clothing including eye wear.
  - Clean Hands work best.
  - **Disconnect the Battery** to ensure you don't earth out or use an Auto-electrician.
-

# INSTALLING YOUR NEW ROGUE M.O.L.L.E

PRODUCT CODE: MR-SET79-R-1

PRODUCT CODE: MR-SET79-R-1

## STEP 1

Start with double-checking all the correct components and gathering the tools required.


## STEP 2

Next, remove the in cab light. Disconnect the battery to ensure you don't earth out. Or use an auto-electrician. Some models have clear plugs which make it easier to disconnect. Take care as the cables are short. You don't want them to fall into the wall.



### STEP 3

Add the M4 30mm bolt to the washer and spacer. Just do one side of the bracket for now. Loosely screw and repeat for the second side (finger tight only) and refit the cables.



### STEP 4

Disconnect the rear view mirror (Keep the bolts). Fit the bracket behind the mirror and tighten (finger tight only).



## STEP 5

Place the roof console above the two brackets and line up the holes.



## STEP 6

Using the m6 dome head and the m65 flange nut, bolt the four screws into the brackets loosely.



## STEP 7

Now ensure that all the bolts are aligned correctly and tighten them firmly.



